

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

What is claimed is:

1-11. (Cancelled)

12. (Currently Amended) A method for setting up a connection in a system for mobile telecommunications, ~~wherein the following steps are performed by a first call control node~~ comprising a gateway mobile switching center comprising the steps of:

receiving a call set-up request message comprising an indication of at least two services including an indicator of a speech service and an indicator for a multi-media service and an identification of a called party;

sending a routing information request message to a database for storing subscriber data comprising a home location register, wherein the request comprises an identification of a first of the at least two services, an identification of the called party, and an indication that at least one further routing request message will be sent;

receiving a response message from the database home location register;

determining that the response message comprises an indication that the database home location register is adapted to process the indication that at least one further routing info request message will be sent;

sending a further routing information request message comprising an identification of a further service, and receiving a further response message;

analysing analyzing the received response messages to determine if the home location register is adapted to handle yet at least one further request message; and[[.]]

sending or not in dependence of the result of the analysis a call set-up request message to a further call control node.

13. (Previously Presented) The method recited in claim 12, wherein the step of sending a further routing information request is repeated until a routing information request message is sent for each service indicated in the call set-up message.

14. (Currently Amended) A method for setting up a connection in a system for mobile telecommunications, wherein the following steps are performed by a database home location register for storing subscriber data:

receiving a routing information request message comprising an identification of a first service being a speech service, an identification of a called party, and an indication that at least one further routing request message for a multi-media service will be sent;

checking subscriber data of the called party to determine if the home location register is adapted to handle further information request messages;

determining that the requested service is permitted for a connection to the called party;

fetching a number for further setting up of the connection towards the called party;

preparing a response message related to the result of the check; and,

sending the response message comprising the number for further setting up and an indication that the database home location register is adapted to process the indication that at least one further routing info request message for a multi-media service will be sent.

15. (Currently Amended) The method recited in claim 14, wherein in response to receiving the further routing information request message for a multi-media service, the steps of checking, preparing and sending are performed, and wherein a response message is sent that does not comprise a mobile station roaming number.

16 - 17. (Canceled)

18. (Previously Presented) The method recited in claim 12, wherein the number is a mobile station roaming number or a forwarded to number.

19. (Previously Presented) The method recited in claim 12, wherein the routing request message is a send routing information message.

20. (Previously Presented) The method recited in claim 12, wherein the response message is a send routing information result message.

21. (Previously Presented) The method recited in claim 12, wherein the call set-up request message is an initial address message.

22. (Currently Amended) The method recited in claim 12, wherein the further call control node is a mobile services switching ~~centre~~ center.

23. (Currently Amended) A call control node being a gateway mobile switching center comprising:

a message generation unit for generating a first routing information request message with an indication of a first service being a speech service, an identification of a called party and an indicator that at least one further routing request message will be sent, and for generating at least one further routing request message comprising an indication of a second service being at least a multi-media service.

24. (Canceled)

25. (Previously Presented) ~~A database~~ An authentication, authorization and accounting server for storing subscriber data, comprising:

a processing unit adapted to process an indication received in a routing information request message for a first service comprising a speech service indicating that at least one further routing request message for a second service comprising a multi-media service will be sent, wherein a mobile station roaming number is fetched and sent only in response to a first routing information request message for a connection and wherein an indication is returned in said response indicating that the database authentication, authorization and accounting server is adapted to handle the received indicator.

26 - 28. (Canceled)
